


Hexagonal Wire Netting





Hexagonal wire netting is also known by the name of chicken mesh.

Assortments Available:

Hex. wire mesh in normal twist

Hex. wire mesh in reverse twist

Hex. wire mesh in bidirectional twists

Electro galvanized before Weaving

Electro galvanized after Weaving

Hot dipped galvanized before Weaving

Hot dipped galvanized after Weaving

PVC coated before or after Weaving

Application: Hexagonal wire netting, with its good corrosion resistance and oxidation resistance, serves

as strengthening, protecting and temperature keeping materials in the form of mesh container.

Process of Hexagonal Wire Netting: Galvanized after woven or galvanized before woven.

Finished products of Hexagonal Wire Netting: Electric galvanizing, hot-dip zinc plating, stainless steel or PVC coating, etc.

Hexagonal Wire Netting Color: PVC coated hexagonal wire netting is green, white, grey or other colors; enameled hexagonal wire netting is green.

Hexagonal Wire Netting / Normal Twist									
Mesh Size		Wire Diameter		Weight	Mesh Size		Wire Diameter		Weight
inch	cm	SWG	mm	Kg s/m ²	inch	cm	SWG	mm	Kg s/m ²
3/8"	0.95	24	0.56	0.37	1"	2.54	18	1.22	0.93
3/8"	0.95	25	0.51	0.31	1"	2.54	19	1.02	0.65
1/2"	1.27	22	0.71	0.53	1"	2.54	20	0.91	0.52
1/2"	1.27	23	0.61	0.39	1"	2.54	21	0.81	0.41
1/2"	1.27	24	0.56	0.33	1"	2.54	22	0.71	0.31
1/2"	1.27	25	0.51	0.27	1"	2.54	23	0.61	0.23
5/8"	1.59	21	0.81	0.60	3/2"	3.8	18	1.22	0.62
5/8"	1.59	22	0.71	0.46	3/2"	3.8	19	1.02	0.43
5/8"	1.59	23	0.61	0.34	3/2"	3.8	20	0.91	0.34
5/8"	1.59	24	0.56	0.29	3/2"	3.8	21	0.81	0.27
5/8"	1.59	25	0.51	0.24	2"	5.08	18	1.22	0.44
3/4"	1.9	21	0.81	0.49	2"	5.08	19	1.02	0.31
3/4"	1.9	22	0.71	0.38	2"	5.08	20	0.91	0.25

3/4"	1.9	23	0.61	0.28		2"	5.08	21	0.81	0.20
3/4"	1.9	24	0.56	0.24		2"	5.08	22	0.71	0.15